

DNA Barcoding: A Modern Tool for Fish Identification

Mori Krinal¹, Ms. Martina Laishram² and Tandel Jhanvi^{1*}

¹PhD scholar, Gujarat Biotechnology University, Gandhinagar- Gujarat

²Research Associate, College of Veterinary Science and Animal Husbandry, Kamdhenu University, Himmatnagar-Gujarat

Corresponding Author

Tandel Jhanvi

Email: jhanvibiotech11@gmail.com



OPEN ACCESS

Keywords

Biodiversity conservation; COI gene; DNA barcoding; Fish identification; Fisheries management

How to cite this article:

Krinal, M., Laishram, M. and Jhanvi, T. 2026. DNA Barcoding: A Modern Tool for Fish Identification. *Vigyan Varta* 7 (05): 150-153.

ABSTRACT

DNA barcoding has become a powerful and reliable tool for identifying fish species, especially where traditional methods based on physical features often fall short. By using a small, standardized DNA region commonly the mitochondrial COI gene this technique allows accurate identification across all life stages, including eggs and larvae. It is particularly useful in addressing challenges such as species misidentification, seafood fraud, and illegal fishing. In India, DNA barcoding is strengthening fisheries management, improving traceability in aquaculture, and supporting biodiversity conservation. The integration of advanced approaches like environmental DNA (eDNA) and next-generation sequencing is further enhancing its efficiency and scope. Overall, DNA barcoding offers a fast, precise, and modern solution for sustainable fisheries and aquatic biodiversity monitoring in a rapidly changing world.

INTRODUCTION

Fish and fisheries play a vital role in global food security, nutrition, and economic development, particularly in a country like India where millions of people depend on this sector for their livelihood.

Fisheries contribute significantly to protein intake and employment generation. However, accurate identification of fish species remains a major challenge due to morphological similarities among species and variations

across developmental stages such as larvae and juveniles. Traditional taxonomy based on morphological characteristics requires expert knowledge and is often time-consuming and error-prone. Misidentification can lead to poor fisheries management, biodiversity loss, and even economic fraud in fish markets. To overcome these limitations, DNA barcoding has emerged as a powerful molecular tool for species identification (Hebert *et al.*, 2003). DNA barcoding is a molecular technique that uses a short, standardized region of DNA to identify species. It works on the principle that each species possesses a unique genetic sequence, similar to a barcode used in supermarkets. In animals, the mitochondrial Cytochrome c oxidase I (COI) gene is widely used because it shows high variation between species while remaining conserved within species (Ward *et al.*, 2005; Bucklin *et al.*, 2011). This makes DNA barcoding highly effective in distinguishing even closely related fish species. Recent advances in sequencing technologies have made DNA barcoding faster, more accurate, and increasingly affordable, expanding its applications in fisheries and biodiversity research (Deiner *et al.*, 2018).

Methodology of DNA Barcoding

1. **Sample Collection:** Small tissue samples such as fins, muscle, or eggs are collected.
2. **DNA Extraction:** DNA is isolated using standard laboratory protocols.
3. **PCR Amplification:** The COI gene is amplified using Polymerase Chain Reaction (PCR).
4. **DNA Sequencing:** The amplified DNA is sequenced to obtain nucleotide information.
5. **Database Comparison:** The sequence is compared with reference databases for species identification.

Databases such as the Barcode of Life Data Systems (BOLD) and GenBank provide extensive reference libraries for accurate species identification (Ratnasingham & Hebert, 2007). Modern developments such as environmental DNA (eDNA) allow scientists to detect species directly from water samples without physically capturing them, revolutionizing biodiversity monitoring (Taberlet *et al.*, 2018).

Applications in Fisheries and Aquaculture

DNA barcoding has transformed fisheries science with wide-ranging applications:

1. **Species Identification:** It enables accurate identification of fish species at all life stages, including eggs and larvae, which are otherwise difficult to distinguish morphologically
2. **Detection of Seafood Fraud:** Seafood mislabeling is a global issue where low-value fish are sold as high-value species. DNA barcoding helps detect such fraud and ensures consumer protection
3. **Monitoring Illegal Fishing:** It plays a key role in identifying illegal, unreported, and unregulated (IUU) fishing activities, supporting regulatory authorities
4. **Biodiversity Assessment:** DNA barcoding supports large-scale biodiversity assessment and ecosystem monitoring, which are essential for sustainable fisheries (Valentini *et al.*, 2016).
5. **Aquaculture and Traceability:** It improves broodstock identification, selective breeding programs, and traceability systems in aquaculture industries.

Indian Scenario, Case Studies and Biodiversity Conservation

India is one of the largest fish-producing countries in the world, and modern molecular

tools like DNA barcoding are playing an increasingly important role in strengthening its fisheries sector. Research institutions such as the National Bureau of Fish Genetic Resources (NBFGR) have developed comprehensive DNA barcode libraries for a wide range of Indian fish species. These databases are extremely useful for accurate species identification, especially in cases where traditional morphological methods fail.

Several studies on Indian marine and freshwater fishes have revealed hidden genetic diversity and helped identify cryptic species that were previously unrecognized (Lakra *et al.*, 2011). This has significantly improved our understanding of fish biodiversity in India. In addition, DNA barcoding has been applied in fish markets to detect species adulteration and mislabeling, ensuring food authenticity and consumer protection. Such applications are particularly important for export markets, where accurate species labeling and traceability are mandatory.

Beyond identification and trade, DNA barcoding plays a crucial role in biodiversity conservation. Aquatic ecosystems are under severe pressure due to overfishing, habitat degradation, pollution, and climate change. Accurate identification of species is essential for effective conservation planning, and DNA barcoding provides a reliable and efficient solution for this purpose.

The integration of DNA barcoding with advanced techniques such as environmental DNA (eDNA) metabarcoding has further revolutionized biodiversity monitoring. These approaches allow scientists to detect species directly from environmental samples like water, making it easier to monitor ecosystem health and detect rare or endangered species (Valentini *et al.*, 2016; Deiner *et al.*, 2018). International organizations such as the FAO actively promote the use of molecular tools like DNA barcoding to support sustainable

fisheries management and conservation strategies (FAO, 2022). Overall, the application of DNA barcoding in India not only enhances fish production and trade but also contributes significantly to the conservation of aquatic biodiversity and the sustainable management of fisheries resources.

Advantages of DNA Barcoding

- ✓ High accuracy and reliability
- ✓ Rapid and efficient identification
- ✓ Works with small or degraded samples
- ✓ Applicable across all life stages
- ✓ Reduces dependence on expert taxonomy

Limitations of DNA Barcoding

- ✓ Requires laboratory infrastructure and technical expertise
- ✓ Dependent on availability of reference databases
- ✓ Initial cost of sequencing may be high
- ✓ Limited resolution in very closely related species
- ✓ However, continuous technological advancements are addressing these limitations and making DNA barcoding more accessible

FUTURE PERSPECTIVES AND CONCLUSION

The future of DNA barcoding is highly promising, with rapid advancements in molecular biology and sequencing technologies expanding its applications in fisheries and biodiversity research. Emerging tools such as next-generation sequencing (NGS) and high-throughput DNA barcoding are enabling large-scale and more efficient biodiversity assessments. These technologies

allow researchers to process multiple samples simultaneously, significantly reducing time and cost.

In addition, the development of portable sequencing devices is expected to make DNA barcoding feasible even in field conditions, allowing real-time species identification. The integration of DNA barcoding with advanced bioinformatics tools and artificial intelligence is further enhancing the accuracy, speed, and scalability of data analysis. These innovations are expected to revolutionize how aquatic biodiversity is monitored and managed.

In the context of global challenges such as climate change, over exploitation of resources, and food insecurity, DNA barcoding will play a crucial role in supporting sustainable fisheries, conservation of aquatic biodiversity, and ensuring food authenticity.

Overall, DNA barcoding has emerged as a revolutionary tool that has transformed fish identification and biodiversity research. It provides a fast, accurate, and reliable method for species identification, contributing to effective fisheries management, conservation strategies, and consumer protection. With continuous technological advancements and increasing global adoption, DNA barcoding is set to become an indispensable component of modern fisheries science and environmental monitoring.

REFERENCES

- Bucklin, A., Steinke, D., & Blanco-Bercial, L. (2011). DNA barcoding of marine metazoa. *Annual review of marine science*, 3(1), 471-508. <https://doi.org/10.1146/annurev-marine-120308-080950>
- Deiner, K., Lopez, J., Bourne, S., Holman, L. E., Seymour, M., Grey, E. K., & Lodge, D. M. (2018). Optimising the detection of marine taxonomic richness using environmental DNA metabarcoding: the effects of filter material, pore size and extraction method. *Metabarcoding and Metagenomics*, 2, e28963. <https://doi.org/10.3929/ethz-b-000502267>
- FAO (2022). *SOFIA Report*. <https://doi.org/10.4060/cc0461en>
- Hebert, P. D., Cywinska, A., Ball, S. L., & DeWaard, J. R. (2003). Biological identifications through DNA barcodes. *Proceedings of the Royal Society of London. Series B: Biological Sciences*, 270(1512), 313-321. <https://doi.org/10.1098/rspb.2002.2218>
- Lakra, W. S., M. S. Verma, Mukunda Goswami, Kuldeep Kumar Lal, Vindhya Mohindra, P. Punia, A. Gopalakrishnan, K. V. Singh, Robert D. Ward, and P. J. M. E. R. Hebert. "DNA barcoding Indian marine fishes." *Molecular Ecology Resources* 11, no. 1 (2011): 60-71. <https://doi.org/10.1111/j.1755-0998.2010.02894.x>
- Ratnasingham, S., & Hebert, P. D. (2007). BOLD: The Barcode of Life Data System (<http://www.barcodinglife.org>). *Molecular ecology notes*, 7(3), 355-364. <https://doi.org/10.1111/j.1471-8286.2007.01678.x>
- Taberlet, P., Bonin, A., Zinger, L., & Coissac, E. (2018). *Environmental DNA: For biodiversity research and monitoring*. Oxford University Press.
- Valentini, A., Taberlet, P., Miaud, C., Civade, R., Herder, J., Thomsen, P. F., ... & Dejean, T. (2016). Next-generation monitoring of aquatic biodiversity using environmental DNA metabarcoding. *Molecular ecology*, 25(4), 929-942. <https://doi.org/10.1111/mec.13428>
- Ward, R. D., Zemlak, T. S., Innes, B. H., Last, P. R., & Hebert, P. D. (2005). DNA barcoding Australia's fish species. *Philosophical transactions of the royal society B: biological sciences*, 360(1462), 1847-1857. <https://doi.org/10.1098/rstb.2005.1716>