

Health Risks Associated with Nanotechnology in Food Systems

Ritu^{1*}, Veenu Sangwan^{2*} and Vaishali³

¹Ph.D. Scholar, ²Head of the department, ³Ph.D. Scholar (Apparel and Textile Science),
Department of Foods and Nutrition*, I.C. College of Community Science,
CCS Haryana Agricultural University

Corresponding Author

Ritu

Email: goyatritu21@hau.ac.in



OPEN ACCESS

Keywords

Nanotechnology, Toxicity, Bioaccumulation, Environmental Impact

How to cite this article:

Ritu., Sangwan, V. and Vaishali. 2026. Health Risks Associated with Nanotechnology in Food Systems. *Vigyan Varta* 7 (10): 85-90.

ABSTRACT

Nanotechnology has emerged as a powerful and innovative tool in modern food systems, offering significant advantages in enhancing food quality, safety, shelf life, and nutritional value. Applications such as nano-enabled packaging, nutrient delivery systems, and nano sensors have revolutionized the food industry by improving preservation, bioavailability, and real-time monitoring of food quality. These advancements highlight the immense potential of nanotechnology in addressing global challenges like food security, malnutrition, and food wastage. However, alongside these benefits, growing evidence indicates serious concerns regarding the potential health and environmental risks associated with nanoparticles. Due to their extremely small size and high reactivity, nanoparticles can easily enter the human body through ingestion, inhalation, or dermal exposure, leading to toxicity, oxidative stress, inflammation, genotoxicity, and disruption of gut health. Their tendency for bioaccumulation in vital organs further raises the risk of long-term health complications. Additionally, the release of nanoparticles into the environment can disturb ecological balance, affect soil and water quality, and impact biodiversity. A major challenge lies in the lack of comprehensive regulatory frameworks, standardized safety assessment methods, and long-term human studies. Current knowledge gaps create uncertainty regarding safe exposure levels and the overall impact of nanoparticles on human health and ecosystems. Therefore, a cautious and

balanced approach is essential. In conclusion, while nanotechnology holds great promise for transforming the food sector, its safe and sustainable application requires rigorous risk assessment, strict regulations, continuous research, and increased consumer awareness. Ensuring a balance between innovation and safety is crucial to fully harness the benefits of nanotechnology while minimizing its potential risks.

INTRODUCTION:

Nanotechnology has become one of the most revolutionary scientific developments of the 21st century, playing a crucial role in multiple fields such as medicine, agriculture, and the food sector. The core of this technology lies in nanoparticles, which are materials having at least one dimension between 1–100 nanometers (nm). At this nanoscale, materials exhibit distinctive physicochemical characteristics such as a higher surface area, increased reactivity, and improved interaction with biological systems. These features differentiate nanoparticles from their bulk forms and make them highly applicable in modern food science and technology (McClements and Xiao, 2017).

In recent years, nanotechnology applications in the food industry have grown rapidly due to their ability to improve food quality, safety, and shelf life. One of the key applications is in food packaging, where nanoparticles like silver and zinc oxide are integrated into packaging materials to enhance strength and barrier properties. These nano-enabled packaging systems also show strong antimicrobial properties, which help inhibit foodborne pathogens and extend the shelf life of food products (Cushen *et al.*, 2012).

Another major application of nanoparticles is in food preservation, where they act as antimicrobial and antioxidant agents. Owing to their high surface reactivity, nanoparticles can effectively suppress microbial growth and delay oxidation, thereby maintaining food freshness for longer periods. Additionally,

nanosensors have been developed for real-time monitoring of food quality, including the detection of spoilage, contamination, and environmental variations. These innovations significantly contribute to minimizing food waste and enhancing food safety (Sekhon, 2010).

Nanoparticles are also extensively used in nutrient delivery systems, especially in the formulation of functional and fortified foods. Through nano-encapsulation, nutrients such as vitamins, minerals, and bioactive compounds are protected from degradation caused by heat, light, and oxygen. This technology improves the stability, solubility, and bioavailability of nutrients, ensuring better absorption in the human body. Consequently, nanotechnology provides new opportunities for designing advanced food products with enhanced nutritional and therapeutic value (Acosta, 2009).

Despite these advantages, concerns regarding the potential health risks of nanoparticles in food systems are increasing. Due to their extremely small size, nanoparticles can easily cross biological barriers and enter systemic circulation after ingestion. Their high reactivity may result in the production of reactive oxygen species (ROS), which can lead to oxidative stress, cellular damage, and inflammation. Furthermore, research suggests that nanoparticles may accumulate in vital organs such as the liver, kidneys, and brain, raising concerns about long-term toxicity and bioaccumulation (Oberdörster *et al.*, 2005).

Apart from health concerns, there are notable gaps in regulatory frameworks and safety evaluation procedures for nanoparticles in food. Conventional toxicological methods may not be sufficient to assess nanoparticle behavior, as they differ significantly from traditional materials. Additionally, there is limited information on chronic exposure and long-term health effects in humans, which creates uncertainty regarding their safety. The absence of standardized guidelines and low consumer awareness further complicate their safe use in the food sector (Handford *et al.*, 2014).


Environmental issues also add to the growing concerns about the use of nanoparticles in food systems. Once released into the environment, nanoparticles can interact with soil, water, and living organisms, potentially disturbing ecological balance. Their persistence and ability to accumulate in the food chain may result in indirect human exposure, thereby increasing associated risks. These concerns emphasize the need for thorough risk assessment and sustainable use of nanotechnology in food applications (Kahru and Dubourguier, 2010).

Although nanotechnology offers numerous benefits, rising safety concerns cannot be ignored. Therefore, it is essential to carefully evaluate both its advantages and risks. A balanced approach involving scientific advancements, strict regulations, and comprehensive risk assessment is necessary to ensure the safe and responsible use of nanotechnology in the food industry.

Routes of Exposure

Nanoparticles present in food systems can enter the human body through several pathways. Understanding these exposure

routes is important for assessing their potential



health risks.

Ingestion

- The main route of exposure to nanoparticles in food systems
- Occurs through the consumption of nano-enabled food products or migration of nanoparticles from packaging into food
- After ingestion, nanoparticles pass through the gastrointestinal tract and may be absorbed into the bloodstream
- They can interact with the gut lining and microbiota, potentially influencing digestion and nutrient absorption
- Due to their small size, nanoparticles can cross intestinal barriers and distribute to different organs (McClements and Xiao, 2017)

Inhalation

- Occurs when airborne nanoparticles are inhaled during food processing, packaging, or handling
- Common in occupational environments such as food industries and manufacturing units
- Inhaled nanoparticles may deposit in the respiratory tract and enter systemic circulation
- Can lead to respiratory problems, inflammation, or damage to lung tissues

- Studies indicate that inhaled nanoparticles can penetrate deep into the lungs and induce oxidative stress (Oberdörster *et al.*, 2005)

Skin Contact (Dermal Exposure)


- Occurs through direct contact with nanoparticle-containing food packaging or handling materials
- Nanoparticles may penetrate the skin, particularly if it is damaged or exposed for extended periods
- Less significant compared to ingestion but still relevant in occupational exposure
- May cause skin irritation or localized toxicity
- Dermal exposure studies show limited but possible skin penetration under certain conditions (Kahru and Dubourguier, 2010)

Harmful Effects of Nanoparticles, Environmental Impact, and Safety Concerns

The extensive use of nanoparticles in food systems has raised serious concerns regarding their potential adverse effects on both human health and the environment. Due to their extremely small size, large surface area, and high reactivity, nanoparticles can easily interact with biological systems, leading to various toxic effects. These effects are complex and often interconnected, involving multiple biological pathways.

a) Toxicity (Nanotoxicity)

Nanotoxicity refers to the harmful effects caused by nanoparticles when they enter the human body. Their small size enables them to easily cross biological membranes, including the intestinal barrier and even the blood–brain barrier. Once absorbed, they can circulate in the bloodstream and reach vital organs. A



major concern is their accumulation in organs such as the liver, kidneys, lungs, and brain. Continuous exposure may result in toxic buildup and impaired organ function. Metal-based nanoparticles, such as silver and titanium dioxide, have been reported to persist in tissues and exhibit long-term toxic effects (Oberdörster *et al.*, 2005).

b) Oxidative Stress and Inflammation

One of the key mechanisms of nanoparticle toxicity is the generation of reactive oxygen species (ROS), leading to oxidative stress. Due to their high reactivity, nanoparticles can produce free radicals such as superoxide and hydroxyl ions, which damage cellular components including lipids, proteins, and DNA. This oxidative damage is associated with several chronic diseases, including cancer and neurodegenerative disorders (Nel *et al.*, 2006).

Moreover, nanoparticles can trigger immune responses, resulting in inflammation. Immune cells release cytokines and other mediators, causing tissue inflammation. Chronic inflammation can damage organs and disrupt normal physiological functions. Such effects have been observed in the lungs, liver, and gastrointestinal tract following nanoparticle exposure (Donaldson *et al.*, 2001).

c) Genotoxicity

Nanoparticles also demonstrate genotoxic effects, meaning they can damage genetic material. Due to their ability to enter cells and interact with intracellular components, nanoparticles may cause DNA strand breaks, chromosomal damage, and mutations. These effects may occur directly or indirectly through oxidative stress. Such genetic

alterations increase the risk of mutations and cancer development, making long-term exposure a serious concern (Singh *et al.*, 2009).

d) Effect on Gut Health


Since ingestion is the primary route of exposure, nanoparticles can significantly affect the gastrointestinal system. After entering the digestive tract, they interact with the intestinal lining and gut microbiota. Research suggests that nanoparticles may disturb the balance of gut microbiota by reducing beneficial bacteria and promoting harmful ones. This imbalance can negatively impact digestion, nutrient absorption, and immune function. Additionally, nanoparticles may damage intestinal epithelial cells, increase gut permeability, and contribute to systemic health issues (McClements and Xiao, 2017).

e) Bioaccumulation

Bioaccumulation is another major concern, referring to the gradual accumulation of nanoparticles in the body over time. Due to their persistence and resistance to degradation, nanoparticles are not easily eliminated. They can accumulate in vital organs such as the liver, kidneys, and brain, where they may exert toxic effects over long durations. This increases the risk of chronic diseases and long-term health complications, particularly with continuous dietary exposure (Kahru and Dubourguier, 2010).

f) Environmental Impact

The release of nanoparticles into the environment has significant ecological consequences. Soil contamination can occur through agricultural inputs, waste disposal, or degradation of packaging materials, leading to altered soil properties and reduced fertility. Nanoparticles may also interfere with nutrient cycling and plant growth (Kahru and Dubourguier, 2010).



Similarly, water pollution occurs when nanoparticles enter aquatic systems through industrial discharge or runoff. Their stability allows them to persist in water and interact with aquatic organisms, potentially disrupting the food chain. Furthermore, nanoparticles may affect microorganisms, especially beneficial microbes in soil and water. Their antimicrobial properties can reduce microbial diversity, thereby disturbing essential ecological processes such as decomposition and nutrient recycling (Handford *et al.*, 2014).

g) Regulatory Issues and Safety Concerns

Despite their increasing application, specific regulatory guidelines for nanoparticles in food are still lacking. Existing frameworks are often insufficient to address their unique properties and associated risks. Another major limitation is the lack of long-term human studies, as most research is based on laboratory or animal models. This creates uncertainty in determining safe exposure levels and long-term health impacts (McClements and Xiao, 2017).

International organizations such as WHO and FAO have highlighted the need for comprehensive risk assessment strategies, while in India, FSSAI is working toward developing suitable guidelines. However, standardized testing methods and stricter regulations are still required to ensure consumer safety (FAO/WHO, 2010).

REFERENCES

- Acosta, E. (2009). Bioavailability of nanoparticles in nutrient and nutraceutical delivery. *Current Opinion*

- in *Colloid and Interface Science*, 14(1), 3–15.
- Cushen, M., Kerry, J., Morris, M., Cruz-Romero, M., & Cummins, E. (2012). Nanotechnologies in the food industry – Recent developments, risks and regulation. *Trends in Food Science and Technology*, 24(1), 30–46.
- Donaldson, K., Stone, V., Clouter, A., Renwick, L., & MacNee, W. (2001). Ultrafine particles. *Occupational and Environmental Medicine*, 58(3), 211–216.
- Espitia, P. J. P., Soares, N. F. F., Coimbra, J. S. D. R., Andrade, N. J., Cruz, R. S., & Medeiros, E. A. A. (2012). Zinc oxide nanoparticles: Synthesis, antimicrobial activity and food packaging applications. *Food and Bioprocess Technology*, 5(5), 1447–1464.
- FAO/WHO. (2010). *Expert meeting on the application of nanotechnologies in the food and agriculture sectors*.
- Handford, C. E., Dean, M., Spence, M., Henchion, M., Elliott, C. T., & Campbell, K. (2014). Implications of nanotechnology for the agri-food industry: Opportunities, benefits and risks. *Trends in Food Science and Technology*, 40(2), 226–241.
- Kahru, A., & Dubourguier, H. C. (2010). From ecotoxicology to nanoecotoxicology. *Toxicology*, 269(2–3), 105–119.
- McClements, D. J., & Xiao, H. (2017). Is nano safe in foods? *npj Science of Food*, 1(6). *Mutation Research*, 681(2–3), 185–198.
- Nel, A., Xia, T., Mädler, L., & Li, N. (2006). Toxic potential of materials at the nanolevel. *Science*, 311(5761), 622–627.
- Oberdörster, G., Oberdörster, E., & Oberdörster, J. (2005). Nanotoxicology: An emerging discipline. *Environmental Health Perspectives*, 113(7), 823–839.
- Sekhon, B. S. (2010). Food nanotechnology – An overview. *Nanotechnology, Science and Applications*, 3, 1–15.
- Singh, N., Jenkins, G. J. S., Asadi, R., & Doak, S. H. (2009). Potential toxicity of nanoparticles for human health.
- Weir, A., Westerhoff, P., Fabricius, L., Hristovski, K., & von Goetz, N. (2012). Titanium dioxide nanoparticles in food and personal care products. *Environmental Science and Technology*, 46(4), 2242–2250.