

General Considerations for Reproductive Health Management in Farm and Pet Animals

Pandiri Keerthana^{1*}, Arya M Narkhede¹, M. S. Bawaskar², D. S. Raghuwanshi², A. P. Gawande² and M. S. Patil²

¹PhD Scholar, Department of ARGO, NVC, Nagpur

²Professor, Department of ARGO, NVC, Nagpur

Department of Animal Reproduction, Gynaecology and Obstetrics, Nagpur Veterinary College,
Maharashtra Animal & Fishery Sciences University-440006, Nagpur

Corresponding Author

Pandiri Keerthana

Email: keerthanapandiri2307@gmail.com



OPEN ACCESS

Keywords

Reproductive health, Fertility, Breeding, Livestock, Pet animals

How to cite this article:

Keerthana, P., Narkhede, A. M., Bawaskar, M. S., Raghuwanshi, D. S., Gawande, A. P. and. Patil, M. S. 2026. General Considerations for Reproductive Health Management in Farm and Pet Animals. *Vigyan Varta* 7 (10): 147-150.

ABSTRACT

Good reproductive health is essential for maintaining healthy and productive animals. In farm animals, successful reproduction provides regular calves, lambs, kids, piglets and foals, while in pets it helps in planned production of healthy puppies and kittens. Problems such as infertility, repeat breeding, abortion and difficult birth can cause economic loss and affect animal welfare. Many reproductive problems can be reduced through simple management practices such as proper feeding, clean water, good housing, correct heat detection, healthy breeding animals and disease prevention. Reproductive care should begin before breeding and continue through pregnancy, delivery and after birth. Regular observation and timely veterinary care can help farmers and pet owners identify problems early and improve reproductive performance.

INTRODUCTION:

Reproduction is an important part of animal management. However, successful reproduction does not

depend only on mating. Nutrition, body condition, health, breeding management, hygiene and proper care during pregnancy all

influence the final outcome. Poor feeding, missed heat, unhealthy breeding males, infections and stress may reduce conception and cause reproductive losses (Noakes *et al.*, 2019). Therefore, reproductive health should be managed throughout the year rather than only during the breeding period.

1. Provide Good Feed and Clean Water

Good reproduction starts with good nutrition. Very thin animals may show poor heat and have difficulty becoming pregnant, while excessively fat animals may face problems during pregnancy and delivery. Animals should receive good-quality green fodder, dry fodder and concentrate according to their age, body condition and production stage. Pregnant animals need additional nutritional care, especially during late pregnancy when fetal growth is rapid (Noakes *et al.*, 2019).

Fresh and clean water should be available at all times. Water requirements increase during hot weather, pregnancy and milk production.

2. Maintain Proper Body Condition

Animals should be neither too thin nor too fat at breeding. Poor body condition can delay heat and reduce conception. Farmers should regularly observe body condition and investigate animals that are losing weight or repeatedly failing to become pregnant. Maintaining suitable body condition before breeding is an important part of reproductive management (Senger, 2012).

3. Identify Heat and Breed at the Right Time

Correct heat detection can greatly improve reproductive efficiency. In cows and buffaloes, signs may include restlessness, mounting or standing to be mounted, frequent urination and clear mucus discharge. Heat may be less

obvious in sheep and goats. In pigs, the standing response is an important sign.

Dogs and cats have different reproductive cycles, so breeding should be planned according to their specific cycle. Mating or artificial insemination at the appropriate time increases the chance of conception (Senger, 2012).

4. Give Attention to the Breeding Male

The breeding male is equally important because he contributes half of the genetic material of the offspring. Bulls, buffalo bulls, rams, bucks, boars and stallions should be healthy, physically fit and free from obvious reproductive problems. Their reproductive organs, legs, feet and general body condition should be checked before breeding.

If a female repeatedly fails to conceive, the male should also be examined. A breeding soundness examination by a veterinarian can help identify fertility problems (Youngquist & Threlfall, 2007).

5. Maintain Clean Housing and Breeding Areas

Good hygiene helps prevent reproductive infections. Dirty housing, contaminated bedding and poor hygiene during artificial insemination or reproductive examination can introduce infection.

Calving, lambing, kidding and farrowing areas should be clean, dry and comfortable. Dogs and cats should also be provided with a clean and quiet place for giving birth. Proper hygiene around delivery protects both the mother and newborn (Noakes *et al.*, 2019; England & von Heimendahl, 2010).

6. Prevent Reproductive Diseases

Some diseases can cause infertility, abortion, stillbirth or weak newborns. Regular

vaccination and parasite control according to the local veterinary programme can help reduce health problems. Newly purchased animals should preferably be kept separately for observation before mixing with the existing herd or flock.

Animals with repeated abortions, infertility or abnormal reproductive discharge should be examined by a veterinarian. Antibiotics, hormones and other medicines should not be used without identifying the cause of the problem (Noakes *et al.*, 2019).

7. Keep Simple Breeding Records

A simple notebook can be very useful. Farmers should record the date of heat, mating or artificial insemination, breeding male used, pregnancy diagnosis, expected delivery date and actual delivery date. Abortion, difficult birth and other reproductive problems should also be noted.

These records help farmers identify animals with repeated problems and allow better planning of breeding and veterinary care (Senger, 2012).

8. Take Extra Care During Pregnancy and After Birth

Pregnant animals need extra attention, particularly during the last few weeks. They should receive adequate feed and water and be kept in a safe, clean and dry place. Rough handling, fighting, overcrowding and unnecessary transport should be avoided.

After delivery, the mother should be observed for poor appetite, weakness, fever, excessive bleeding or foul-smelling discharge. The newborn should receive colostrum as soon as possible because it provides important protection against infections (Noakes *et al.*, 2019).

Important Points for Different Animals

Animal Main management points

Cow & buffalo	Heat detection, balanced feeding, minerals, healthy breeding male and clean calving area
Sheep & goat	Good late-pregnancy feeding, extra care with twins/triplets and dry shelter
Pig	Correct heat detection, proper body condition, balanced feed and clean farrowing area
Horse	Good forage, balanced nutrition, suitable exercise and planned breeding
Dog	Health check before breeding, proper nutrition, hygiene and correct breeding time
Cat	Good-quality food, clean water, quiet surroundings and proper care around delivery

When Should a Veterinarian Be Called?

Veterinary help should be sought when an animal repeatedly fails to become pregnant, has repeated abortions, develops abnormal reproductive discharge or shows signs of illness. A veterinarian should also be contacted when labour is prolonged, the animal strains continuously without delivering or becomes weak and distressed. Early examination can help identify whether the problem is related to the female, male, fetus or management.

CONCLUSION

Good reproductive health depends mainly on **proper everyday care**. Good nutrition, suitable body condition, correct heat detection, healthy breeding animals, clean surroundings and disease prevention can greatly improve reproductive performance. Farmers and pet

owners should observe animals regularly and maintain simple breeding records. Pregnant animals and newborns need extra attention, especially around delivery. When a reproductive problem is noticed, timely veterinary advice is safer and more useful than trying medicines without knowing the cause. Healthy parents and good management are the foundation for healthy newborn animals.

REFERENCES

- England, G. C. W., & von Heimendahl, A. (Eds.). (2010). *BSAVA manual of canine and feline reproduction and neonatology* (2nd ed.). British Small Animal Veterinary Association.
- Noakes, D. E., Parkinson, T. J., & England, G. C. W. (Eds.). (2019). *Veterinary reproduction and obstetrics* (10th ed.). Elsevier.
- Senger, P. L. (2012). *Pathways to pregnancy and parturition* (3rd ed.). Current Conceptions, Inc.
- Youngquist, R. S., & Threlfall, W. R. (Eds.). (2007). *Current therapy in large animal theriogenology* (2nd ed.). Saunders Elsevier.